

# Dall'Ball®

Specialist in basketball surface covering

FFBB  
APPROVED



Personalized conception software  
Consult our site [www.idplast.com](http://www.idplast.com)

# CONCEPT

I.D.PLAST, a company specialized in manufacturing plastic tiles has developed a unique concept of Basketball surface covering : DALL'BALL®. For both indoor and outdoor use, DALL'BALL® consists of officially approved «FFBB» thermoplastic surface and game line tiles that are clipped any together to form a Basketball court of the required size.



## Teaching Process



Teaching children Basketball requires appropriate equipment : the size of the court, the height of the rim and the size of the ball.

The use of DALL'BALL® surface covering in different colours allows the child to:

- Learn more easily and with more fun as children are very sensitive to colours.
- Get a better overall view of the court.
- Get a better view of the different areas.

Available in different sizes, DALL'BALL® playing surfaces provide enjoyment and comfort to Basketball players and learners of any age.

FFBB  
APPROVED

## Modular Structure

Besides its many advantages, DALL'BALL® offers a wide range of playing surfaces, from private courts to professional sports clubs. The DALL'BALL® range includes several sizes ranging from the standard adult court 32 x 19 meters, to the mini surface 13 x 13 meters.

DALL'BALL® is also available as a portable kit, ideal for exhibitions or different events as it can be easily and quickly dismantled.



## Technical Details

DALL'BALL surface covering is made up of modular tiles and game lines, secured together with patented clips.

The tiles are made of injection moulded thermoplastic material, they are durable, self-draining and distortion proof. The semi-circle is a special line marking.



## Technical Data

Ball bounce complies with standard quality norm XP. P90-110  
All colours UV resistant \*  
Tile size: 33 x 33 cm \*  
Tile thickness : 1,5 cm \*  
Tile weight: : 400 g \*  
Material: natural polypropylene\*  
added rubber UV stability



Physical properties in conformity with norm XP P90-110 LABOSPORT

## ECONOMICAL


DALL'BALL® is the real answer to any needs for resurfacing your used BASKETBALL courts. DALL'BALL® can easily be placed on top of your existing BASKETBALL court. It is a cost saving investment.

# FLOOR PLAN LAYOUT

FFBB  
APPROVED


## QUARTER COURT

Size **13 x 13 m** is made up of 1 521 tiles 33 x 33 cm for an overall surface of **169 m<sup>2</sup>**.



## TRAINING CENTER

Size **36 x 24 m** is made up of 7776 tiles 33 x 33 cm for an overall surface of **864 m<sup>2</sup>**.



FFBB  
APPROVED

KEY  
PLATFORM  
2017


## STANDARD ADULT COURT

Size **32 x 19 m** is made up of 5 472 tiles 33 x 33 cm for an overall surface of **608 m<sup>2</sup>**.



## THE 3X3

Size **19 x 15 m** is made up of 2 565 tiles 33 x 33 cm for an overall surface of **285 m<sup>2</sup>**.



POSSIBILITY TO  
RENT THE 3X3  
BASKETBALL  
COURTS

## Colours

All colours are officially approved by FFBB.

Standard FFBB colours



Other colours available on request.



With the DALL'BALL® know-how we can customize colours, markings and courts on request.

## Assembly

### Tools

- \* Rubber mallet
- \* Cutter or hand saw
- \* Pair of gloves
- \* Assembly instruction manual provided.




### Basic rules


- \* Respect orientation of tiles (positioning of clip holes)
- \* Start with bottom left
- \* Work in rows (horizontal or vertical)




1



2



3



## MANUFACTURING

DALL'BALL® Basketball courts are manufactured in our factory and are in compliance with ISO 9002 rules.

Lead time: 4 weeks after receipt of your order.

## Maintenance

Maintaining DALL'BALL® playing surfaces is extremely simple :

\* Once a year : clean the DALL'BALL® tiles with a high pressure cleaner.

\* Once every 3 to 5 years : depending on indoor or outdoor layout : remove the tiles square meter by square meter, clean them with a high pressure cleaner, remove dust and dirt from hard ground underneath with an industrial vacuum-cleaner and reassemble.

Use cleaning products recommended for the maintenance of plastic products only.

## Packaging

Tiles are packed on 110 x 110 pallets, shrink wrapped, strapped and labelled with the customer's address. Pre-assembly : 9 tiles per square meter on base.

Delivery on tailboard truck for easy unloading.

Each pallet is made up of 630 tiles, i.e. 70 square meters (gross weight : 260 kg).





I.D. PLAST SAS  
PARC INDUSTRIEL SUD  
01100 BELLIGNAT - FRANCE  
Tél. +33 (0)4 74 75 14 91  
Port. +33 (0)6 86 64 05 90  
isabelle.collomb@idplast.com  
www.idplast.com

N° SIRET 404 951 311 00053

